

BOOK 2398

Dec. 3 1913

# FIELD NOTES

OF THE SURVEY OF THE

BOUNDARY and EXTERIOR LINES (including the old Camp McDowell Reservation),

Embraced within the SALT RIVER INDIAN RESERVATION, as follows:

N. and W. bdy. T. 1 N., R. 5 E. : Retracement part of N. bdy. of

N. and W. bdy. T. 2 N., R. 5 E. : Salt River Indian Reservation,

N. and W. bdy. T. 2 N., R. 6 E. : in T. 3 N., R. 7 E.

N. and W. bdy. T. 2 N., R. 7 E. : Retracement of N., E., and W.

N. and W. bdy. T. 3 N., R. 6 E. : bdy. of old Camp McDowell

N. and W. bdy. T. 3 N., R. 7 E. : Reservation.

W. bdy. T. 3 N., R. 5 E. :

W. bdy. T. 4 N., R. 7 E. :

Of the Gila and Salt River Principal Meridian,

In the State of ARIZONA.

EXECUTED BY

Robert A. Farmer,

Topographer.

In the capacity of U. S. Surveyor, under instructions dated October 11-, 1910,

issued by the ~~U. S. Surveyor General and Commissioner of the General Land Office~~, ~~and Commissioner of the General Land Office~~

~~and Commissioner of the General Land Office~~, ~~and Commissioner of the General Land Office~~ Commissioner of the General Land Office, to A. F. Dunnington, Topographer in Charge.

Office, ~~and Commissioner of the General Land Office~~, ~~and Commissioner of the General Land Office~~

~~and Commissioner of the General Land Office~~, ~~and Commissioner of the General Land Office~~

Survey commenced December 5-, 1910.

Survey completed February 26-, 1911.

X076

BOOK 2393

## North Boundary T. 2 N., R. 7 E.

Chains	
	January 4, 1911. -
	from the cor. of Tps. 2 and 3 N., Rgs. 6 and 7 E., I run East on a true line along the N. bdy. of T. 2 N., R. 7 E., bet. secs. 6 and 31
	over rough, rocky land, descending. Through brush.
6.00	Foot of descent, hrs. N. and S. Begin ascent.
30.00	Top of ascent; begin descent of N. slope of mountain about 900 ft. high.
40.00	Set an iron post for $\frac{1}{2}$ sec. cor. bet. secs. 6 and 31, with brass cap stamped
	$\frac{1}{2}$ S 31 in N. half S 6 1911 " S. "
	Raise mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
78.00	Leave rocky mountain land; enter flat land.
80.00	Set an iron post for cor. of secs. 5, 6, 31 and 32, with brass cap stamped
	T 3 N S 32 in NE. quadrant R 7 N S 5 " NW. " T 2 N S 6 " SW. " S 31 " NW. " 1911 " S. 1-match on the W. and S on the N. edge.
	From which -
	Palo verde, 6 ins. in diam., hrs. N. $29^{\circ}$ E., 92 lbs. dist., mid. T 3 N R 7 E S 32 B T
	Mesquite, 6 ins. in diam., hrs. N. $28\frac{1}{2}$ W., 59 lbs. dist., mid. T 3 N R 7 E S 31 B T
	No other tree available as B. T.
	Raise mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
	Land, rough, rocky mountain. Soil, 4th rate. Scattered palo verde and mesquite timber. Greasewood brush near end of mile.
	-----
	East on a true line bet. secs. 5 and 32
	Over level land,
	Through mesquite brush and timber.
1.46	Right bank of Verde River.
	Set an iron post for M. C. bet. secs. 5 and 32, with brass cap stamped

Book 2693

## North Boundary T. 2 N., R. 7 E.

	Chains	
		M C in E. 1911 in S. T 3 N R 7 E S 32 in NW. quadrant T 2 N S 5 " SW. 6 notches on the N. and 6 on the S. edge.
		From which -
		Mesquite, 8 ins. in diam., hrs. N. 62° W., 40 lms. dist., mdd. T 3 N R 7 E S 32 M C B T Mesquite, 8 ins. in diam., hrs. S. 22° E., 41 lms. dist., mdd. T 2 N R 7 E S 5 M C B T
	1.96	Bed of river; thence over sand bar.
	9.00	West edge of main channel of river, course S.
	13.00	E. edge of main channel.
	14.33	Left bank of Verde River.  Set an iron post for M. C. bet. secs. 5 and 32, with brass cap stamped
		M C in W. 1911 in S. T 3 N R 7 E S 32 in NW. quadrant T 2 N R 7 E S 5 " SW. 6 notches on the N. and 6 on the S. edge.
		From which -
		Palo verde, 8 ins. in diam., hrs. N. 54° W., 40 lms. dist., mdd. T 3 N R 7 E S 32 M C B T
		No other tree available as B. T.
		Raise mound of stone 2 ft. base, 1½ ft. high, E. of cor.
	40.00	Set an iron post for ½ sec.cor. bet. secs. 5 and 32, with brass cap stamped
		½ S 32 in N. half S S 1911 " S.
		Dig pits 1x1x1½ ins. N. and W. of post 3 ft. dist.; and raise mound of earth 3½ ft. base, 1½ ft. high, N. of cor.
	50.00	Set an iron post for cor. of secs. 4, 5, 32 and 33, with brass cap stamped
		T 3 N S 32 in NW. quadrant R 7 E S 4 " SW. " T 2 N S 5 " SW. " S 32 " NW. " 1911 " S. 2 notches on the W. and 4 on the E. edge.
		From which -
		Mesquite, 18 ins. in diam., hrs. S. 80° W., 26 lms. dist., mdd. T 3 N R 7 E S 5 M C B T
		No other tree available as B. T.
		Raise mound of stone 2 ft. base, 1½ ft. high, W. of cor.

## North Boundary T. 2 N., R. 7 E.

BOOK 2399

Chains	
	<p>Land, flat and sandy.      Soil, 2nd rate.      Brush, palo verde, mesquite and greasewood.</p>
1.00	<p>East on a true line bet. sec. 4 and 33      over flat, sandy land,      through brush.</p> <p>which river is      Right bank of Salt River, part of the S. and E. bdy. of      Salt River Indian Reservation.</p> <p>Set an iron post 26x3 ins. in diam. for N. C. bet. sec.      4 and 33, with brass cap stamped</p> <p>N C IN E.      S R I R in W.      1911 in S.      T 3 N R 7 E 8 33 in NW. quadrant      T 2 N R 7 E 6 4 " SW.      6 notches on the N. and 6 on the S. edge.</p> <p>Raise mound of stone 3 ft. base, 2 ft. high, W. of cor.</p>
2.00	<p>Muds of water, coarse SW.</p> <p>Land, flat and sandy.      Soil, 2nd rate.      Brush, mesquite and greasewood.</p> <p>NOTE: No trace of old corners found along the N. bdy.      of T. 2 N., R. 7 E.</p> <p>- January 4, 1911.</p> <p>Robert A. Farmer,      Topographer and U. S. Surveyor.</p>